© Hans Malicky/Austria; download unter www.biologiezentrum.at



## Trichopterological literature

### 1997

Ciubuc, Constantin 1997
Trichoptera (Insecta: Trichoptera) from Iza Valley, Maramureş (Romania). – Trav.Mus.Nat.Hist.Nat. „Gr.Antipa" 37:125-128.

Spacek,Jan 1997
[Contribution to the fauna of mayflies (Ephemeroptera), stoneflies (Plecoptera) and caddisflies (Trichoptera) in the locality „Na Plachte" (Eastern Bohemia, Hradec Kralove)]. – Acta Mus.Reginaehradecensis Ser.A Sci.Nat. 25:89-92. [Czech]

### 1998

Hoffmann, Andreas 1998
Verhaltensökologische Untersuchungen an Trichopterenlarven: Die Verpuppungsortwahl bei Lasiocephala basalis (Kol.) (Trichoptera: Lepidostomatidae). – Verh.Westdt.Entomologentag 1997:199-203.

Pottgiesser,T., Koch,P., Sommerhäuser,M. 1998
Imagines ausgewählter Wasserinsektengruppen (Ephemeroptera, Plecoptera, Trichoptera) als Indikatoren für die Typisierung des Gewässerumfeldes von Tieflandbächen. – Verh.westdt.Entomologentag 1997:187-197.

Vshivkova,T.S., Ryazanova,N.B. 1998
[Longitudinal distribution and structure of caddisfly assemblages (Insecta, Trichoptera) in Belaya River basin (South Sakhalina)]. – Chteniya Pamyati Alekseya Ivanovicha Kurentsova 8:5-20.

### 1999

DeWalt,R.Edward, Webb,Donald W., Harris,Mitchell A. 1999
Summer Ephemeroptera, Plecoptera and Trichoptera (EPT) species richness and community structure in the lower Illinois River basin of Illinois. – Great Lakes Entomologist 32:115-132.

Hur,Jun Mi, Hwang,Jung Hoon, Bae,Yeon Jae 1999
Association of larval and adult stages of Hydropsyche valvata Martynov (Hydropsychidae, Trichoptera). – Ent.Res.Bull. 25:13-15

Kaiser, Oliver 1999
Brachycentrus kozlovi (Trichoptera) – ist ecology, life history and suitability as a bioindicator for water quality assessment in the Himalayas. – Diplomarbeit, Univ.Freiburg i.Br., 109 pp.

Podgornyi,K.A., Nepomnyashchikh,V.A. 1999
Effects of behavioral variability of optimization of caddis fly (Chaetopteryx villosa) larvae behaviour. – Uspekhi Sovremennoi Biologii 119:218-222.

Rincon H., Maria Eugenia 1999
Estudio preliminar de la distribución altitudinal y espacial de los tricópteros en la Cordillera Oriental (Colombia). – Coleccion Jorge Alvarez Lleras 13:267-284.

Sedlák, Edmund 1999
Trichoptera. – Fol.Facult.Scient.Natural.Univ.Masaryk.Brunensis Biol. 101:201-206.

Tappenbeck, Lutz 1999
Die Einwanderung der Köcherfliege Hydropsyche contubernalis aus der Elbe in das Bodesystem des Vorharzes (Sachsen-Anhalt) seit 1993. – Entom.Mitt.Sachsen-Anhalt 7:9-12.

### 2000

Andrew, Ross H. 2000
Anabolia nervosa and Beraea maurus, two caddis flies recently recorded for Orkney. – Orkney Field Club Bull.2000:47.

Balch,Gordon C., Evans,R.Douglas, Welbourn,Pamela, Prairie,Robert 2000
Weight loss and net abnormalities of Hydropsyche betteni (caddisfly) larvae exposed to aqueous zinc. – Environm.Toxicol.Chemistry 19:3036-3043.

Botosaneanu, L. 2000
Etude d'une faunule madicole de Guadeloupe: complément à la connaissance des Trichoptères (Trichoptera) de l'île. – Annls Limnol. 36:249-259.

Carrijo,R.S.G.G., Huamantinco,A.A., Nessimian,J.L. 2000?
Comunidades de Trichoptera (Insecta) de substratos orgânicos em Rios da Serra do Mar, sul do estado do Rio de Janeiro. – 8 Congr.Brasil.Limnologia:152.

Cayrou,J., Compin,A., Giani,N., Céréghino,R. 2000
Associations spécifiques chez les macroinvertébrés benthiques et leur utilisation pour la typologie des cours d'eau. Cas du réseau hydrographiques Adour-Garonne (France). – Ann.Limnol. 36:189-202

Dangles,O., Guerold,F. 2000
Influence of shredders in mediating breakdown rates of beech leaves in circumneutral and acidic forest streams. - Arch.Hydrobiol. 151:649-666.

Dankova,N.V., Ivanov,V.D., Silina,A.E. 2000
[Contribution to the study of fauna and ecology of caddisflies (Insecta, Trichoptera) of the brooks in southern regions of Murmansk District] – Vestnik Sankt-Peterburgskogo Universiteta Ser.3, Biol. 3(19):3-8. [Russian]

Ehlert,Thomas 2000
Habitatbindung adulter Köcherfliegen während der Reproduktionsphase (Trichoptera, Rhyacophilidae, Leptoceridae). – Verh.Westdt.Entomologentag 1998:187-193.

Feio,M.J., Graca,M.A.S. 2000
Food consumption by the larvae of Sericostoma vittatum (Trichoptera), an endemic species from the Iberian Peninsula. – Hydrobiologia 439:7-11.

Fisli, Istvan 2000
A Phryganeidae (Trichoptera) csalad Eszak-magyarorszagi elterjedese. – Fol.Hist.Nat.Mus.Matraensis 24:119-126. [The distribution of the family Phryganeidae in north Hungary].

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Guenda,W. 2000
Premières données sur le genre Psychomyiellodes Mosely (Trichoptera: Ecnomidae) et description d'une nouvelle espèce du Burkina Faso (Afrique Occidentale). – Annls Limnol. 36:163-167.

Gui,Fu-Rong, Yang,Lian-Fang 2000
Four new species and two new records of Arctopsychidae from China (Insecta:Trichoptera). – Acta Zootaxonom.Sinica 25:419-425.

Gui,Fu-Rong, Yang,Lian-Fang 2000
Faunistic study on Trichoptera of Yunnan. – Entomotaxonomia 22:213-222. [Chinese]

Hicks,M.B., Haynes,C.G. 2000
An annotated list of Trichoptera along several streams in the Bankhead National Forest in northwest Alabama. – Ent.News 111:206-214.

Hicks,M.B., Haynes,C.G. 2000
An annotated list of Trichoptera in the Black Belt Prairie Region of west central Alabama. – Ent.News 111:215-222.

Hoffsten, Per-Ola 2000
Nya norrlandska provinsfynd av nattsländor. – Natur i Norr 19:101-106.

Huamantinco,A.A., Nessimian,J.L. 2000
Variation and life strategies of the Trichoptera (Insecta) larvae community in a first order tributary of the Paquequer River, southeastern Brasil. – Rev.Brasil.Biol. 60:73-82.

Huamantinco,A.A., Nessimian,J.L. 2000?
Estrutura e distribuição espacial da comunidade de larvas de Trichoptera (Insecta) em um tributário de primeira ordem do Rio Paquequer, Teresópolis, RJ. – Acta Limnol.Brasiliensia 11(2):1-16.

Huamantinco,A.A., Carrijo,R.S.G.G., Pereira,J.R., Nessimian, J.L. 2000?
Chave pictórica para identificação dos gêneros de Trichoptera (Insecta) ocorrentes no estado do Rio de Janeiro, Brasil: Larvas. – 24 Congresso Brasileiro de Zoologia:248.

Hur,Jun Mi, Jin,Young Hun, Park,Sun Jin, Won,Doo Hee, Bae,Yeon Jae 2000
Emergence patterns of Hydropsyche kozhantschikovi (Trichoptera: Hydropsychidae). – Korean J.Limnol. 33 (91):267-273.

Isobe,Yu 2000
Seasonal change in downstream- and micro-distributions of Micrasema quadriloba Martynov (Insecta: Trichoptera). – Biol.Inland waters 15:32-37. [Japanese].

Ivanov,V.D., Melnitsky,S.I., Syrnikov,Yu.S. 2000
Attraction of Anabolia laevis Zett. males (Trichoptera: Limnephilidae) to pheromone traps. – Vestnik Sankt-Petersburgskogo Universiteta Ser.3 Biol. 3(19):111-114.

Jackson, Jean 2000
Threatened Trichoptera (caddisflies) from the Tasmanian Wilderness World Heritage Area. – Pap.Proc.R.Soc.Tasmania 134:55-62.

Kerans,B.L., Chesson,Peter L., Stein,Roy A. 2000
Assessing density-dependent establishment and dispersal: an example using caddisfly larvae. – Canadian J.Fish.Aqu.Sci 57:1190-1199.

Kolligs, Detlef 2000
Ökologische Auswirkungen künstlicher Lichtquellen auf nachtaktive Insekten, insbesondere Schmetterlinge (Lepidoptera). – Faun.-Ökol.Mitt.(Kiel) Suppl. 28:1-136.

Lomond,T.M., Colbo,M.H. 2000
Variations in lake-outlet Ephemeroptera, Plecoptera, and Trichoptera communities amongst regions of eastern Newfoundland, Canada. – Can.J.Zool. 78:1536-1543.

Marchant,R., Hehir,G. 2000
How efficient is extraction of stream insect larvae from quantitative benthic samples? – Marine Freshw.Res. 51:825-826. [Agapetus].

Mitsuhashi, Hiromune 2000
Longitudinal distribution, life-history and microhabitat of two Neophylax (Trichoptera: Uenoidae) species in a Japanese stream. – Jap.J.Limnol. 61:251-258. [Japanese].

de Moor,F.C., Barber-James,H.M., Harrison,A.D., Lugo-Ortiz,C.R. 2000
The macroinvertebrates of the Cunene River from the Ruacana Falls to the river mouth and assessment of the conservation status of the river. – Afr.J.Aquat.Sci. 25:105-122.

Moss,M.O., Gibbs,G. 2000
On the nature of the hairs of the wings of the Trichoptera (caddisflies). – Quekett J.Microscopy 38:511-517.

Plague,Gordon R., McArthur,J.Vaun 2000
Polymorphic larval retreats in the net-spinning caddisfly Macrostemum carolina (Trichoptera:Hydropsychidae): Form and putative function. – Florida Ent. 83:497-500.

Pottgiesser,Tanja, Sommerhäuser,Mario 2000
Naturnahe Tieflandbäche in Nordrhein-Westfalen – Refugien seltener und gefährdeter Wasserinsekten. – Verh.westdt.Entomologentag 1999:233-246.

Rasmussen,Andrew K., Denson,Dana R. 2000
Range extension, ecological notes, and new records of Pycnopsyche indiana (Trichoptera: Limnephilidae) from Florida. – Ent.News 111:359-366.

Reiso,Sigve, Brittain,John E. 2000
Life cycle, diet and habitat of Polycentropus flavomaculatus, Plectrocnemia conspersa and Rhyacophila nubila (Trichoptera) in Øvre Heimdalen, Jotunheimen Mountains, Norway. – Norwegian J.Entomol. 47:113-124

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Reiso,Sigve, Brittain,John E. 2000
Distribution of Trichoptera in Øvre Heimdalen, Jotunheimen Mountains, Norway. - Norwegian J.Entomol. 47:185-195.

Richter, Stephen C. 2000
Larval caddisfly predation on the eggs and embryos of Rana capito and Rana sphenocephala. – J.Herpetology 34:590-593.

Rose, Louis 2000
Une excursion lépidoptérologique en Alsace, fin juin 1999 (5e série d'observations avec le concours de M. Marcel Houyez). – Rev.Vervietoise Hist.Nat., Printemps 2000:89-95.

Runde,J.M., Hellenthal,R.A. 2000
Behavioral responses of Hydropsyche sparna (Trichoptera: Hydropsychidae) and related species to deposited bedload sediment. – Environm.Entomology 29:704-709.

Ruiz García, Antonio 2000
Comunidades de Tricópteros (Trichoptera) de agua corriente en la provincia de Cádiz. – Limnetica 19:83-90.

Schmera, Denes 2000
Az Oecetis testacea Curtis, 1834 (Insecta: Trichoptera) elofordulasa Magyarországon. – Fol.Hist.Nat.Mus.Matraensis 24:127-128.

Seredszus,F., Rehage,H.-O., Wichard,W. 2000
Phänologie der Köcherfliegen (Trichoptera) im NSG „Heiliges Meer" in Westfalen. – Verh.westdt.Ent.tag 1999:225-232.

Sharapova,T.A., Semyonova,L.A. 2000
Taxonomic diversity and food composition of the trichopterans (Trichoptera) of Ob-Irtysh River basin. – Russ.Ent.J. 9:149-153.

Spänhoff,B., Alecke,C., Kaschek,N., Meyer,E.I. 2000
Ökologie holzbesiedelnder aquatischer Makroinvertebraten am Beispiel der Trichopterengattung Lype (Psychomyiidae). – Verh.westdt.Entomologentag 1999:209-224.

Stevens,David J., Hansell,Michael H., Monaghan,Pat 2000
Developmental trade-offs and life histories: strategic allocation of resources in caddis flies. – Proc.R.Soc.London Ser.B Biol.Sci. 267:1511-1515.

Stloukal, Eduard 2000
[Occurrence of Gregarina lunata (Apicomplexa, Gregarina) and establishing the genus Zwetkowius n.g. with species Z.sororculae n.comb.]. – Folia Faun. Slovaca 5:23-26. [Slovak].

Thiele,Volker, Berlin,Angela, Wiechert,Remo 2000
Zur Kenntnis zoologischer Taxa (Avifauna, Lepidoptera, Trichoptera, Odonata, Saltatoria) im Bereich von Knochenhauerwiese und Galgenbruch (Hansestadt Rostock). – Archiv Freunde Naturgeschichte Mecklenburg 39:85-104.

Tierno de Figueroa,José Manuel, Palomino-Morales,José Antonio, Luzon-Ortega,Julio Miguel 2000
Spatial distribution on river banks of Isoperla nevada (Plecoptera, Perlodidae), Chloroperla nevada (Plecoptera, Chloroperlidae) and Sericostoma cf. vittatum (Trichoptera, Sericostomatidae). – Ital.J.Zool. (Modena) 67:355-358.

**2001**

Almeida,Gisele Luziane de, Marinoni,Luciane 2001
Descricão das femeas de Chimarra (Curgia) brasiliana (Ulmer) e Chimarra (Curgia) ypsilon Flint (Insecta, Trichoptera, Philopotamidae) do estado do Parana, Brasil. – Rev.Brasil. Zool. 18:971-976.

Andrew, Ross H. 2001
Two caddis flies newly recorded for Orkney, together with other recent caddis records. – Orkney Field Club Bull. 2001:55-56.

Andriambelo,Zoe, Gibon,François-Marie 2001
Les Macrostemum forestiers du massif de l'Andringitra (Trichoptera, Hydropsychidae). – Bull.Soc.Ent.Fr. 106:233-239.

Angrisano, Elisa B. 2001
Las larvas de Rheochorema e Iguazu (Trichoptera: Hydrobiosidae). – Rev.Soc.Entomol.Argentina 60:195-202.

Angrisano,E.B., Korob,P.G. 2001
Trichoptera, in: Fernández,H.R., Domínguez,E.(ed.): Guía para la determinación de los artrópodos bentónicos sudamericanos. pp.55-92. Universidad Nacional de Tucumán, Facultad de Ciencias Naturales e Instituto M.Lillo.

Arefina, Tatyana I. 2001
An outline of females of the genus Rhyacophila (Trichoptera: Rhyacophilidae) from Eastern Asia. – Proc.1st Symp. AESEA (Korean Soc.Aquat.Entom.):21-44.

Bae,Yeon Jae, Lee,Byung Hoon 2001
Human impacts on stream ecosystems and freshwater arthropods in Korea. – Korean J.Entomol. 31:63-76.

Bennett, Andrew M.R. 2001
Phylogeny of Agriotypinae (Hymenoptera, Ichneumonidae) with comments on the subfamily relationships of the basal Ichneumonidae. – Systematic Entomology 26:329-356.

Bergmann,Jan, Löfstedt,Christer, Ivanov,Vladimir D., Francke,Wittko 2001
Identification and assignment of the absolute configuration of biologically active methyl-branched ketones from limnephilid caddis flies. – European J. of Organic Chemistry 16:3175-3179.

Bis,Barbara, Higler,Lambertus W.G. 2001
Riparian vegetation of streams and the macroinvertebrate community structure. – Ecohydrology & Hydrobiology 1:253-260.

Bisht,R.S., Mohan,Man 2001
Bio-ecology of Stenopsyche haimavatika. – Indian Journal of Entomology 63:1-7.

Bisht,R.C., Mohan,Man, Saklani,C.S. 2001
Two new records of freshwater parasitic mites from Garhwal hills. – Indian J.Entomol. 63:484-486. [Stenops. haimavatika].

Bloxham, Mike G. 2001
Invertebrate survey of Sot's Hole, Sandwell Valley with emphasis on the damp woodland of Compartment 4. – Sandnats 23(3):20-32.

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Botosaneanu, Lazare 2001
Sericostoma flavicorne Schneider, 1845 and S.schneideri Kolenati, 1848: two distinct species and the correct use of their names (Trich., Sericostomatidae). – Bull.Soc.ent.France 106:518-520.

Brettfeld, Ralf 2001
Rote Liste der Köcherfliegen (Trichoptera) Thüringens. – Naturschutzreport 18:211-215.

Buczyński,Pawel, Czachorowski,Stanisław, Lechowski,Lech 2001
Niektóre grupy owadów wodnych (Odonata, Heteroptera, Coleoptera, Trichoptera) projektowanego rezerwatu „Torfowiska wiszące nad jeziorem Jaczno" i okolic: wyniki wstępnych badań. – Rosz.nauk.Pol.Tow.Ochr.Przyr. „Salamandra" 5:27-42. [Some groups of water insects (Odonata, Heteroptera, Coleoptera, Trichoptera) of the projected reserve „Hanging peat bogs by Jaczno Lake" and ist surroundings: results of preliminary studies].

Canivet,V., Chambon,P., Gilbert,J. 2001
Toxicity and bioaccumulation of arsenic and chromium in epigean and hypogean freshwater macroinvertebrates. – Arch.Environm.Contamin.Toxicol. 40:345-354.

Cardinale,Bradley J., Smith,Christopher M., Palmer,Margaret A., 2001
The influence of initial colonization by hydropsychid caddisfly larvae on the development of stream invetrebrate assemblages.

Corallini,C., Gaino,E. 2001
Peculiar digestion patterns of sponge-associated zoochlorellae in the caddisfly Ceraclea fulva. – Tissue & Cell 33:402-407.

Elias, Scott A. 2001
Coleoptera and Trichoptera. – Developments in Paleoenvironmental Research 4:67-80.

Dean, John C. 2001
New species of Hydropsychidae (Insecta: Trichoptera) from northern Australia. – Mem.Mus.Victoria 58:231-246.

Freitag,Hendrik, Stubbe,Michael, Heidecke,Dietrich 2001
Das Makrozoobenthos in der Zönosestruktur und die Saprobie unter Einfluß des Elbe-Bibers. – Säugetierkundl.Mitt.(Jena) 5(25):35-56.

Füreder,Leopold, Schütz,Cornelia, Wallinger,Manfred, Burger,Rainer 2001
Physico-chemistry and aquatic insects of a glacier-fed and a spring-fed alpine stream. - Freshw.Biol. 46:1673-1690.

Geerts,R., Löfstedt,C., Menken,S.B.J. 2001
Molecular phylogeny of Trichoptera. – Proc.Sect.Exper.Appl.Ent.Netherl.Ent.Soc. (NEV) 12:165-167.

Gibon, François-Marie 2001
Biotypologie des hydrosystèmes tropicaux. Exemples chez les Trichoptères africains et malgaches. – Document, Institut de recherche pour le développement Montpellier, 234+147 pp.

Gíslason,Gísli M., Adalsteinsson,Hákon, Hansen,Iris, Ólafsson,Jón S., Svavarsdóttir,Kristín 2001
Longitudinal changes in macroinvertebrate assemblages along a glacial river system in central Iceland. - Freshw.Biol. 46:1737-1751.

Harrison,S.S.C., Harris,I.T., Croeze,A., Wiggers,R. 2001
The influence of bankside vegetation on the distribution of aquatic insects. – Verh.IVL 27(3):1480-1484.

Harrison,Simon S.C., Hildrew,Alan G. 2001
Epilithic communities and habitat heterogeneity in a lake littoral. – J.Animal Ecology 70:692-707.

Hellmund,Winfried, Hellmund,Meinolf 2001
Ein aus Pflanzenmaterial bestehender Trichopterenköcher (Insecta, Phryganeidae) aus dem Oberoligozän von Rott im Siebengebirge (Rheinland, Deutschland). – Decheniana 154:101-107.

Horsák, Michal 2001
Contribution to our knowledge of macroinvertebrate fauna of the Dyje river downstream of the Nové Mlýny reservoirs (Czech Republic). – Scripta Fac.Sci.Nat.Univ.Masaryk.Brun. 27 Suppl (Biol.):41-62.

Houghton, David C. 2001
Two new species of Lepidostoma Rambur (Trichoptera: Lepidostomatidae) from the western United States. – Proc.Ent.Soc.Washington 103:541-545.

Houghton, David C. 2001
Caddisfly (Trichoptera) records from the Apache National Forest, eastern Arizona. – Ent.News 112:85-93.

Houghton,David C., Holzenthal,Ralph W., Monson,Margot P., MacLean,David B. 2001
Updated checklist of the Minnesota caddisflies (Trichoptera) with geographic affinities. – Trans.Amer.Entomol.Soc. 127:495-512.

Illes,J., Evans,R.D., Balch,G.C. 2001
Influence of food-capture nets on cadmium uptake by net-spinning caddisfly (Trichoptera: Hydropsychidae) larvae. – Bull.Environm.Contamin.Toxicol. 66:484-491.

Kelly,Lucy C., Bilton,David T., Rundle,Simon D. 2001
Population structure and dispersal in the Canary Island caddisfly Mesophylax aspersus (Trichoptera, Limnephilidae). – Heredity 86:370-377.

Kiss,Ottó 2001
A Potamophylax nigricornis (Pictet, 1834) (Insecta, Trichoptera, Limnephilidae) larvaja. – Fol.Hist.Nat.Mus.Matr. 25:113-120.

Kjer,Karl M., Blahnik,Roger J., Holzenthal,Ralph W. 2001
Phylogeny of Trichoptera (Caddisflies): Characterization of signal noise within multiple datasets. – System.Biol. 50:781-816.

Kohler,Steven L., Hoiland,Wade K. 2001
Populations regulation in an aquatic insect: The role of disease. – Ecology (Washington DC) 82:2294-2305.[Brachycentrus americanus]

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Komzák, Petr 2001
The spatio-temporal diversity in caddisfly communities (Trichoptera, Insecta) of the Oslava and Chvojnice streams (Czech Republic). - Scripta Fac.Sci.Nat.Univ.Masaryk.Brun. 27 Suppl (Biol.):63-85.

Konar, Martin 2001
Trichopteren-Lichtfallenfang an vier Standorten in Unterkärnten (Pörtschach, Reifnitz, Walterskirchen und Bogenfeld bei St.Niklas. – Carinthia II 111:403-408.

Kuhara,Naotoshi, Sato,Masahiko 2001
Caddisflies of Rishiri Island, northern Japan. – Rishiri studies 20:63-68. [Japanese].

Kuhara, Naotoshi 2001
Notes on insect fauna of the Okusawa – Suigenchi area, Otaru, central Hokkaido, Japan, no.23. Records of Trichoptera collected by a Malaise trap in 1996. – Bull.Otaru Mus. 14:13-22. [Japanese]

Kuhara,Naotoshi, Nakano,Shigeru, Miyasaka,Hitoshi 2001
Alterations in the grazing activities of cased caddisfly larvae in response to variations in predation risk and resource level. – Ecological Research 16:705-714. [Glossosoma sp.]

Kumanski, Krassimir 2001
Second find of Rhyacophila joosti Mey, 1979 (Trichoptera: Rhyacophilidae) with a description of the unknown female. – Hist.nat.bulgar. 13:123-126.

Kumanski, Krassimir 2001
[The caddisflies from Hresna Gorge (SW Bulgaria)]. In: P.Beron (ed.): Biodiversity of Kresna Gorge (SW Bulgaria):225-235. [Bulgarian]

Leggitt,V.Leroy, Cushman,Robert A.,Jr. 2001
Complex caddisfly – dominated bioherms from the Eocene Green River Formation. – Sedimentary Geology 145:377-396.

Lods-Crozet,Brigitte, Castella,Emmanuel, Cambin,Diana, Ilg,Christiane, Knispel,Sandra, Mayor-Simeant,Helene 2001
Macroinvertebrate community structure in relation to environmental variables in a Swiss glacial stream. – Freshw.Biol. 46:1641-1661.

Mey, Wolfram 2001
Observations on the caddisfly fauna (Insecta: Trichoptera) of three perennial rivers in northern Namibia. – Cimbebasia 17:229-236.

Moroz,Michail, Czachorowski,Stanisław, Lewandowski,Krzysztof 2001
[Aquatic insects (Insecta: Ephemeroptera, Odonata, Heteroptera, Trichoptera) of the Bieriezinsky Biosphere Reserve] – Parki Narodowe i Rezerwaty Przyrody (Bialowieża) 20.4:75-81. [Russian]

Morse,J.C., Tanida,K., Vshivkova,T.S. 2001
The caddisfly fauna of four great Asian lakes: Baikal, Hovsgol, Khanka, and Biwa. - Proc.1st Symp. AESEA (Korean Soc.Aquat.Entom.):97-116.

Motomori,Kayoko, Mitsuhashi,Hiromune, Nakano,Shigeru 2001
Influence of leaf litter quality on the colonization and consumption of stream invertebrate shredders. – Ecol.Res. 16:173-182.

Němcová, Jana 2001
Macrozoobenthos of the Jihlava river downstream the Dalešice-Mohelno reservoirs. - Scripta Fac.Sci.Nat.Univ.Masaryk.Brun. 27 Suppl (Biol.):99-128.

Nguyen,V.V., Hoang,D.H., Cao,T.K.T., Nguyen,X.Q., Bae,Y,J. 2001
Altitudinal distribution of aquatic insects from Tam Dao National Park in northern Vietnam. - Proc.1st Symp. AESEA (Korean Soc.Aquat.Entom.):123-133.

Nishimoto, Hiroyuki 2001
Evaluation of pesticide pollution in rivers using the susceptibility to fenitrothion in Cheumatopsyche species (Trichoptera: Hydropsychidae). – Res.Bull.Aichi Agric.Res.Ctr. 33:219-227. [Japanese]

Nuangchalerm,Prasart, Sangpradub,Narumon, Hanjavanit, Chutima 2001
Microhabitat and diet of Leptocerus sp. (Trichoptera: Leptoceridae) from Nam Nao National Park in Thailand. - Proc.1st Symp. AESEA (Korean Soc.Aquat.Entom.):135-140.

Obach,Michael, Wagner,Rüdiger, Werner,Heinrich, Schmidt,Hans-Heinrich 2001
Modelling populations dynamics of aquatic insects with artificial neural networks. – Ecological Modelling 146:207-217.

Ogbogu,S.S. 2001
Observations on the seasonal dynamics of caddisfly larvae (Trichoptera) in an intermittent reservoir outflow at Ile-Ife, Nigeria. – J.Aquat.Sci. 16:139-143.

Oliveira,Leandro Goncalves, Bispo,Pitagoras da Conceicão 2001
Ecologia de comunidades das larvas de Trichoptera Kirby em dois corregos de primeira ordem da Serra dos Pireneus, Pirenopolis, Goias, Brasil. – Rev.Brasil.Zool. 18:1245-1252.

De Pietro,Renato, Cianficconi,Fernanda 2001
A new species of Allogamus from Sicily (Trichoptera Limnephilidae). – Boll.Soc.Ent.Ital. 133:61-66.

Pietrzak, Lech 2001
Próba oceny naturalności fauny zbiorników wodnych miasta Złocieńca przy użycin współczynnika naturalności, w oparciu o chruściki (Trichoptera). – pp.105-109 in: Indykiewicz,P., Barzak,T., Kaczorowski,G.(eds): Bioróżnorodność i ekologia populacji zwierzęcych w środowiskach zurbanizowanych (Bydgoszcz). [Preliminary estimation of naturality of town water fauna in Złocieniec, with use of biocenosis naturality indices based on caddisflies].

Plague,G.R., Mulvey,M., Glenn,T.C., McArthur,J.V. 2001
Molecular genetic markers provide no evidence for reproductive isolation among retreat building phenotypes of the net-spinning caddisfly Macrostemum carolina. – Molec. Ecology 10:243-248.

© Hans Malicky/Austria; download unter www.biologiezentrum.at

Pořízková, Yvonne 2001
Macrozoobenthos of the Říčka river in the Moravian karst. – Scr. Fac.Sci.Nat.Univ.Masaryk.Brun. 27 Suppl (Biol.):129-157.

Raach-Nipkow,Angela, Vauk-Hentzelt,Erika 2001
Untersuchung der ESK-Arten (Ephemeroptera, Plecoptera, Trichoptera) in einem Heidebach, der Oberen Fintau (Lkr. Rotenburg/Wümme). – Seevögel 22:106-112.

Randriamasimanana,D., Gibon,F.-M. 2001
Etude systématique, habitats et repartition géographique des Setodes (Trichoptera: Leptoceridae) de Madagascar. – Ann.Limnol. 37:125-141.

Richardson, John S. 2001
Life cycle phenology of common detritivores from a temperate rainforest stream. – Hydrobiologia 455:87-95.

Roble,Steven M., Flint,Oliver S.,Jr. 2001
Nemotaulius hostilis (Trichoptera: Limnephilidae), a boreal caddisfly new to the Virginia fauna. – Banisteria 18:35-37.

Ruesink,Jennifer L., Srivastava,Diane S. 2001
Numerical and per capita responses to species loss: mechanisms maintaining ecosystem function in a community of stream insect detritivores. – Oikos 93:221-234. [Lepidostoma unicolor]

Ruiz,A., Salamanca-Ocana,J.C., Ferreras-Romera,M. 2001
Fauna de tricopteros (Insecta, Trichoptera) de cursos de agua que drenan canutos del Parque Natural Los Alcornocales (sur de España). – Boletin Asoc.Esp.Entomol. 25:105-120.

Schmera, Denes 2001
New data to the caddisfly (Insecta: Trichopetra) fauna of the Velencei Mountains (Transdanubian Central Mountains, Hungary). – Fol.Hist.Nat.Mus.Matraensis 25:111-112.

Schulz,Ralf, Liess,Matthias 2001
Toxicity of aqueous-phase and suspended particle-associated fenvalerate: chronic effects after pulse-dosed exposure of Limnephilus lunatus (Trichoptera). – Environm.Toxicol.Chem. 20:185-190.

Sedlák, Edmund 2001
Trichoptera from crenal and epirhithral of the Moravice in Velká kotlina cirque and other sites of the Jeseníky mountains. - Scripta Fac.Sci.Nat.Univ.Masaryk.Brun. 27 Suppl (Biol.):159-171.

Serafin, Edyta 2001
Okruszki w szuwarach i szuwarki jak okruszki, czyli obrazki z życia chruścików (część 1). – Salamandra 2(15):31-34.

Stuart,Alison E., Currie,Douglas C. 2001
Using caddisfly (Trichoptera) case-building behaviour in higher level phylogeny reconstruction. – Canad.J.Zool. 79:1842-1854.

Sukatsheva,I.D., Jarzembowski,E.A. 2001
Fossil caddisflies (Insecta: Trichoptera) from the Early Cretaceous of southern England II. – Cretaceous Research 22:685-694.

Sun,Chang-hai, Gui,Fu-rong, Yang,Lian-fang 2001
Five new species of Philopotamidae (Trichoptera) from Yunnan, China. – Entomotaxonomia 23:193-200.

Tenger, Katalin 2001
Hegyvideki patakok tegzeskarva egyuttes viszgalatanak modszertani ismertetese a Heveder patak peldajan. – Collegium Biologicum 3:11-23. [Contribution to the knowledge of the Trichoptera larvae associations of the Heveder brook in the Eastern Carpathians].

Vieira-Lanero,R., González,M.A., Cobo,F. 2001
Descripción de la larva de Helicopsyche helicifex (Allen, 1857) (Trichoptera, Helicopsychidae). – Nova Acta Cient.Compostelana (Bioloxía) 11:215-223.

Wellnitz,Todd A., Poff,N.LeRoy, Cosyleon,Gabriel, Steury,Brett 2001
Current velocity and spatial scale as determinants of the distribution and abundance of two rheophilic herbivorous insects. – Landscape Ecology 16:111-120. [Agapetus boulderensis].

Wilcock,Helen R., Hildrew,Alan G., Nichols,Richard A. 2001
Genetic differentiation of a European caddisfly: past and present gene flow among fragmented larval habitats. – Molecular Ecology 10:1821-1834. [Plectrocnemia conspersa]

Wilcock,H.R., Hildrew,A.G., Nichols,R.A., Bruford,M.W. 2001
Microsatellites for the net-spinning caddisfly Plectrocnemia conspersa (Polycentropodidae). – Molecular Ecology Notes 1:318-319.

Yang,Lianfang, Gui,Furong, Morse,John C. 2001
Studies on the Trichoptera fauna of Yunnan in southwestern China. – Proc. 1st Symp.AESEA:117-122. (Y.J.Bae,ed.: The 21st century and aquatic entomology in East Asia).

**2002**

de Almeida,Gisele L., Flint,Oliver S.,Jr. 2002
Five new species of Smicridea McLachlan (Trichoptera, Hydropsychidae) from Brazil. – Revta brasilieira Zool. 19:767-775.

Andersen, Trond, Holzenthal, Ralph W. 2002
Adicella syriaca Ulmer, 1907 not occurring in the Afrotropical Region (Trichoptera: Leptoceridae). – Aquat.Insects 24:161-164.

Andersen, Trond, Holzenthal, Ralph W. 2002
West African Triaenodes McLachlan (Trichoptera: Leptoceridae). 2.Subgenus Triaenodes sensu stricto. – Tijdschrift voor Entomologie 145:61-88.

Angrisano,E.B., Sganga,J. 2002
Contribución para el conocimiento del género Metrichia Ross (Trichoptera: Hydroptilidae). – V Congr.argentino de entomología (Buenos Aires):158.

Arefina, T.I. 2002
Two new species of caddisflies (Insecta: Trichoptera) from the Russian Far East. – Far Eastern Entomologist 112:1-7.

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Arefina,T.I. 2002
Hydroptila itoi Kobayashi, 1977, a newly recorded caddisfly (Trichoptera, Hydroptil.) from Russia. – Far Eastern Entomologist 112:8.

Basaguren,A., Riaño,P., Pozo,J. 2002
Life history patterns and dietary changes of several caddisfly (Trichoptera) species in a northern Spain stream. - Arch.Hydrobiol. 155:23-41.

Bellstedt,Ronald, Samietz,Rainer 2002
Katalog der in den Sammlungen des Museum der Natur Gotha aufbewahrten Typen. Teil 1: Insekten. – Abh.Ber.Mus.Nat.Gotha 22:187-195 [Trichoptera:191-192].

Bonada,Núria, Williams,D.Dudley 2002
Exploration of the utility of fluctuating asymmetry as an indicator of river condition using larvae of the caddisfly Hydropsyche morosa (Trichoptera: Hydropsychidae). – Hydrobiologia 481:147-156.

Botosaneanu, Lazare 2002
An annotated checklist from the Carribean islands, with distribution and bibliography (Insecta, Trichoptera). – Bull.Soc.ent.France 107:79-108.

Botosaneanu,Lazare, Viloria,Angel L. 2002
The caddisflies (Insecta, Trichoptera) of Isla de Margarita (Venezuela) – with description of two new species. – Mitt.Museum Naturkunde Berlin, Deutsche entomologische Zeitschrift 49:105-111.

Brauns,Mario, Offinger,Wibke 2002
Bemerkenswerte Nachweise von Wasserinsekten (Ephemeroptera, Coleoptera, Trichoptera) aus dem Nordharz, Sachsen-Anhalt. – Lauterbornia 44:73-82.

Brettfeld, Ralf 2002
Zur Kenntnis der Köcherfliegen (Trichoptera) der Hochmoore des Thüringer Waldes unter besonderer Berücksichtigung des Naturschutzgebietes „Saukopfmoor". – Naturschutzreport (Jena) 19:212-221.

Brunke,Matthias, Hoffmann,Andreas, Pusch,Martin 2002
Association between invertebrate assemblages and mesohabitats in a lowland river (Spree, Germany): A chance for predictions? – Arch.Hydrobiol. 154:239-259.

Bubinas,Algis, Jagminienė,Irena 2002
Bioindication of the Neris River based on the structure of hydrobiocenoses. – Acta zool.lithuanica 12:42-46.

Cardinale,Bradley J., Palmer,Margaret A. 2002
Disturbance moderates biodiversity-ecosystem function relationships: Experimental evidence from caddisflies in stream mesocosms. – Ecology (Wash.) 83:1915-1927.

Cardinale,Bradley J., Palmer,Margaret A., Collins,Scott L. 2002
Species diversity enhances ecosystem functioning through interspecific facilitation. – Nature (Lond.)415:426-429.

Cartwright, David I. 2002
The Australian species of Chimarra Stephens (Trichoptera: Philopotamidae). – Mem.Mus.Victoria 59:393-437.

Céréghino, Régis 2002
Shift from a herbivorous to a carnivorous diet during the larval development of some Rhyacophila species (Trichoptera). – Aquat.Insects 24:129-135.

Chvojka, Pavel 2002
Chrostíci (Trichoptera, Insecta) Národního parku Muránska planina: Současný stav znalostí. – Výskum a ochrana prírody muránskej planiny 3:125-127. [Caddisflies of the Muránska planina National Park (Central Slovakia): Present state of knowledge]

Cianficconi,F., Corallini,C., Mazzerioli,S., Salerno,P. 2002
Rassegna forografica dei Tricotteri della Palude di Colfiorito (Perugia). – Quaderni della „Sagra della Patata Rossa" (Colfiorito di Foligno) 3:386-410.

Cianficconi,F., Corallini,C., Tucciarelli,F. 2002
Informazioni sui Tricotteri italiani di ambienti costieri salmastri. – Biogeografia 23:139-155.

Cibaitė,Giedrė 2002
Apsiuvų (Trichoptera) pasiskirstymas Šventosios upės (Anykščių r.) hidrocenozėse. – Ekologija (Vilnius) 2002(1):22-28. [Distribution of caddisflies in the hydrocenosis of the Šventoji River, Anykščiai district].

Clements,William H., Carlisle,Daren M., Courtney,Lisa A., Harrahy,Elisabeth A. 2002
Integrating observational and experimental approaches to demonstrate causation in stream biomonitoring studies. – Environm.Toxicol.Chem. 21:1138-1146.

Coope,G.R., Field,M.H., Gibbard,P.L., Greenwood,M., Richards,A.E. 2002
Palaeontology and biostratigraphy of Middle Pleistocene river sediment in the Mathon Member, at Mathon, Herefordshire, Englad. – Proc.Geolog.Assoc. 113:237-258.

Cressa,C., Barrios,C. 2002
Larva growth rate and development time of egg, larvae and pupae of two species of Trichoptera from a stream in Venezuela. – Verh.IVL 28:148-152.

Dohet,Alain, Dolisy,Danielle, Hoffmann,Lucien, Dufrene,Marc 2002
Identification of bioindicator species among Ephemeroptera, Plecoptera and Trichoptera in a survey of streams belonging to the rhithral classification in the Grand Duchy of Luxembourg. – Verh.IVL 28:381-386.

Elbersen-van der Straten,J.W.H., Higler,L.W.G. 2002
Dispersie en migratie van aquatische insecten in stilstaande en stromende wateren. – Alterra-rapport 572 (Wageningen):29-30.

Elliott, J.M. 2002
A quantitative study of day-night changes in the spatial distribution of insects in a stony stream. – J.Anim.Ecol.71:112-122.

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Evans,R.Douglas, Balch,Gordon C., Evans,Hayla E., Welbourn,Pamela M. 2002
Simultaneous measurement of uptake and elimination of cadmium by caddisfly (Trichoptera: Hydropsychidae) larvae using stable isotope tracers. – Environm.Toxicol.Chem. 21:1032-1039.

Flint, Oliver S., Jr. 2002
Studies on neotropical caddisflies, LX: Three new species of the Chilean genus Microthremma, with a review of the genus (Trichoptera: Helicophidae). – Ent.News 113:225-232.

Friberg,Nikolai, Larsen,Anette D., Rodkjær, Aase, Thomsen,Anne G. 2002
Shredder guilds in three Danish forest streams contrasting in forest type. – Arch.Hydrobiol. 153:197-215.

Fritz,K.M., Dodds,W.K. 2002
Macroinvertebrate assemblage structure across a tallgrass prairie stream landscape. – Arch. Hydrobiol. 154:79-102.

Gaino,Elda, Cianficconi,Fernanda, Rebora,Manuela, Todini,Barbara 2002
Case-building of some Trichoptera larvae in experimental conditions: selectivity for calcareous and siliceous grains. – Ital.J.Zool. 69:141-145.

Gullefors, Bo 2002
Sveriges nattsländor (Trichoptera), en provinskatalog med nyare fynduppgifter. – Ent.Tidskr. 123:131-147.

Habdija,Ivan, Radovanović,Ines, Primc-Habdija,Biserka, Spoljar,Maria 2002
Vegetation cover and substrate type as factors influencing the spatial distribution of trichopterans along a karstic river. – Int.Rev.Hydrobiol. 87:423-437.

Harris,Steven C., Keth,Andrew C. 2002
Two new microcaddisflies (Trichoptera: Hydroptilidae) from Alabama and Florida. – Ent.News 113:73-79.

Harris,Steven C., Flint,Oliver S.,Jr. 2002
New Alisotrichia (Trichoptera: Hydroptilidae) from Central and South America and the Greater Antilles. – Proc.Entomol.Soc.Wash. 104:195-210.

Harris,Steven C., Holzenthal,Ralph W., Flint,Oliver S.,Jr. 2002
Review of the neotropical genus Bredinia (Trichoptera: Hydroptilidae: Stactobiini). – Ann.Carnegie Mus. 71:13-45.

Harris,Steven C., Flint,Oliver S.,Jr., Holzenthal,Ralph W. 2002
Two new genera of Hydroptilidae from the Neotropics (Trichoptera: Hydroptilidae: Stactobiini). – J.New York Entomol.Soc. 110:49-64.

Harris,Steven C., Flint,Oliver S.,Jr., Holzenthal,Ralph W. 2002
Review of the Neotropical genus Flintiella (Trichoptera: Hydroptilidae: Stactobiini). - J.NY Entomol. Soc. 110:65-90.

Hayashi,Yoshio, Yun,Sun-Ja 2002
Geographical studies on Cheumatopsyche infascia (Trichoptera, Hydropsychidae) by esterase isoenzymes. –Biogeography 4:1-6.

Hillman,T.J., Quinn,G.P. 2002
Temporal changes in macroinvertebrate assemblages following experimental flooding in permanent and temporary wetlands in an Australian floodplain forest. – River Res.Applic. 18:137-154.

Holzenthal,Ralph W., Cressa,Claudia 2002
The Trichoptera, caddisflies, of Venezuela: Three new species and records of Atopsyche Banks (Hydrobiosidae). – Stud.Neotrop.Fauna Environm. 37:133-143.

Holzenthal,Ralph W., Harris,Steven C. 2002
New species of Nothotrichia Flint (Trichoptera: Hydroptilidae) from Brazil and Costa Rica. – Proc.Ent.Soc.Wash. 104:106-110.

Horecký,Jakub, Stuchlík,Evžen, Chvojka,Pavel, Bitušík,Peter, Liška,Marek, Pšenáková,Petra, Špaček,Jan 2002
Effects of acid atmospheric deposition on chemistry and benthic macroinvertebrates of forest streams in the Brdy Mts (Czech Republic). - Acta Soc.Zool.Bohem. 66:189-203.

Hsu,Li-peng, Chen,Chin-seng 2002
A new species of Ugandatrichia (Trichoptera: Hydroptilidae) from Taiwan. – Pan-Pacif.Ent. 78:74-79.

Ito,Tomiko, Yamamoto,Eiji, Doi,Masae, Ohkawa,Ayuko 2002
The family Lepidostomatidae and the genus Palaeagapetus of the family Hydroptilidae in Shikoku, western Japan (Trichoptera). – Hyogo Freshwater Biology 54:21-40. [Japanese]

Johanson, Kjell Arne 2002
A new primitive Helicopsyche from Madagascar (Trichoptera: Helicopsychidae), with phylogenetic analysis of Afrotropical species. – Tijd.Entomol. 145:9-17.

Johanson, Kjell Arne 2002
Eight new Psychomyia from Borneo (Trichoptera, Psychomyiidae). – Entomofauna (Ansfelden) 23:53-71.

Johanson, Kjell Arne 2002
A new species of the New Caledonian endemic genus Xanthochorema Kimmins, 1953 (Insecta: Trichoptera: Hydrobiosidae). – Zootaxa 42:1-6.

Johanson, Kjell Arne 2002
Systematic revision of American Helicopsyche of the subgenus Feropsyche (Trichoptera: Helicopsychidae). – Ent.Scand.Suppl. 60:1-147.

Johanson,Kjell Arne, Ward,John B. 2002?
Re-description of the genus Zelolessica and of its two species (Insecta, Trichoptera, Helicophidae). – Rec.Canterbury Mus. 16:1-17.

de Jong,Grant D. 2002
Variation in abdominal sa2 and sa3 setation in larvae of Arctopsyche grandis (Banks) (Trichoptera: Hydropsychidae). – Proc.Ent.Soc.Wash 104:242-243.

Keiper,J.B., Harris,S.C. 2002
Biology and immature stages of Ochrotrichia footei (Trichoptera: Hydroptilidae), a new microcaddisfly from a torrential mountain stream. – Proc.Ent.Soc.Wash. 104:291-299.

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Kelly,Lucy C., Rundle,Simon D., Bilton,David T. 2002
Genetic population structure and dispersal in Atlantic Island caddisflies. – Freshw.Biol. 47:1642-1650.

Kiss, Ottó István 2002
A Sericostoma personatum (Kirby és Spence, 1826, Insecta, Trichoptera) életciklusa. – Hidrobiol.Közlöny 82:56-57.[Life cycle of Sericostoma personatum]

Kiss, Ottó 2002
Rearing caddis larvae (Trichoptera) in an artificial stream. – In: Kiss,Ottó(ed.): Diversity of Trichoptera (Eger), pp. 87-94.

Kiss,Ottó, Lőrincz,Gábor, Mikus,László 2002
Trichopteran communities of the Hosszú Valley in the Bükk Mountains, Hungary. - In: Kiss,Ottó(ed.): Diversity of Trichoptera (Eger), pp. 95-112.

Kumanski,Krassimir, Sipahiler,Füsun 2002
List of caddisflies (Insecta: Trichoptera) collected by Bulgarian scientists in Turkey. – Hist.nat.bulgar. 15:127-137.

Ledger,Mark E., Crowe,Anna L.M., Woodward,Guy, Winterbourn,Michael J. 2002
Is the mobility of stream insects related to their diet? – Arch.Hydrobiol. 154:41-59.

Leggitt,V.Leroy, Loewen,Mark A. 2002
Eocene Green River Formation „Oocardium tufa" reinterpreted as complex arrays of calcified caddisfly (Insecta: Trichoptera) larval cases. – Sedimentary Geology 148:139-146.

Malicky,H. 2002
A quantitative field comparison of different types of emergence traps in a stream: general, Trichoptera, Diptera (Limoniidae and Empididae). – Ann.Limnol. 38:133-149.

Malicky, Hans 2002
Köcherfliegen (Trichoptera), p.81, in: Gutleb,B., Wieser,C.(eds): Ergebnisse einer zoologischen Exkursion in den Nordiran, 2001. – Carinthia II, 192/112:33-140.

Malicky, Hans 2002
Die Frauenfeld-Köcherfliege (Platyphylax frauenfeldi): Porträt eines fast ausgestorbenen Insekts. – Öko.L (Linz) 24(3):29-34.

Malicky,Hans, Sun Changhai 2002
25 new species of Rhyacophilidae (Trichoptera) from China. – Linzer biol.Beitr. 34:541-561.

Malicky,H., Waringer,J., Uherkovich,Á. 2002
Ein Beitrag zur Bionomie und Ökologie von Platyphylax frauenfeldi Brauer, 1857 (Trichoptera, Limnephilidae) mit Beschreibung der Larve. – Ent.Nachr.Ber. 46:73-80.

Malicky, H. 2002
A quantitative field comparison of emergence traps with opern and covered bottoms in a stream: general and Trichoptera. – Ann.Limnol. 38:241-246.

Malicky,H. 2002
Ein Beitrag zur Kenntnis asiatischer Arten der Gattung Diplectrona Westwood 1840 (Trichoptera, Hydropsychidae) (gleichzeitig Arbeit Nr. 34 über thailändische Köcherfliegen). – Linzer biol.Beitr. 34:1201-1236.

Meissner,Kristian, Muotka,Timo, Kananen,Irma 2002
Drift responses of larval blackflies and their invertebrate predators to short-term flow regulation. - Arch.Hydrobiol. 154:529-542.

Miller,Mark P., Blinn,Dean W., Keim,Paul 2002
Correlations between observed dispersal capabilities and patterns of genetic differentiation in populations of four aquatic insect species from the Arizona White Mountains, USA. – Freshw.Biol. 47:1660-1673.

Mirmoayedi,Alinaghi, Malicky,Hans 2002
An updated check-list of caddisflies (Insecta, Trichoptera) from Iran, with new records. – Zoology in the Middle East 26:163-168.

Monaghan,Michael T., Spaak,Piet, Robinson,Christopher T., Ward,J.V. 2002
Population genetic structure of 3 alpine stream insects: influences of gene flow, demographics, and habitat fragmentation. – J.NABS 21:114-131. [Allogamus auricollis]

de Moor, Ferdinand C. 2002
Shortcomings and advantages of using rapid biological assessment techniques for the purpose of characterizing rivers in South Africa. – Verh.IVL 28:651-662.

Myers,Marilyn J., Resh,Vincent H. 2002
Trichoptera and other macroinvertebrates in springs of the Great Basin: species composition, richness and distribution. – Western North Amer.Nat. 62:1-13.

Neboiss, Arturs 2002
New genera and species, and new records, of Tasmanian Trichoptera (Insecta). – Papers and Proceedings of the Royal Society of Tasmania 136:43-82.

Nógrádi,Sára, Uherkovich,Ákos 2002
On the caddisflies (Trichoptera) from the catchment area of the rivers Mura and Kerka, Southwest Hungary. – Somogyi Múzeumok Közleményei Kaposvár) 15:129-144.

Norwood,James C., Stewart,Kenneth W. 2002
Life history and case-building behavior of Phylloicus ornatus (Trichoptera: Calamoceratidae) in two spring-fed streams in Texas. – Ann.Ent.Soc.Amer. 95:44-56.

Parker,Michael S., Power,Mary E., Wootton,J.Timothy 2002
Effects of substrate composition, stream-bed stability, and sediment supply on survival and trophic role of a dominant stream grazer. - Verh.IVL 28:238-241. [Dicosmoecus gilvipes]

Regerand,T.I., Nefedova,Z.A., Toivonen,L.T., Dubrovina,L.V., Vuori,K.-M., Markova,L.V., Ruokolainen,T.R. 2002
Lipid metabolism of caddisworms at low pH. – Ontogenez 33:285-291. [Russian]

© Hans Malicky/Austria; download unter www.biologiezentrum.at



del Rosario,Rosalie B., Betts,Emily A., Resh,Vincent H. 2002
Cow manure in headwater streams: tracing aquatic insect responses to organic enrichment. – J.NABS 21:278-289.

Schefter,Patricia W., Ward,John B. 2002?
Revision of the New Caledonian endemic genus Caledopsyche (Trichoptera: Hydropsychidae: Hydropsychinae), with the description of five new species. – Rec.Canterbury Mus. 16:18-31.

Schmera, D. 2002
Comparison of species richness of light trap-collected caddisfly assemblages (Insecta: Trichoptera) using rarefaction. – Opusc.Zool.(Budapest) 34:77-83.

Schuster,Cornelia, Bellstedt,Ronald, Göring,Manfred, Müller, Uwe, Samietz,Rainer 2002
Die Flora und Fauna des Flächennaturdenkmales „Gewässerschutzgebiet Hörsel" im Landkreis Gotha mit Anmerkungen zu Pflege und Entwicklung. – Abh.Ber.Mus.Nat.Gotha 22:59-80.

Serafin,Edyta, Buczyński,Paweł 2002
Szybki bieg upiorka, żyjątka wielce drapieżne i pochewki na wietrze, czyli chruściki i ważki u Dzięddzielewicza. – Notatki entomologiczne 2(4):104-106.

Sganga,J., Angrisano,E. 2002
Contribución para el conocimiento de las larvas del género Smicridea McLachlan (Trichoptera: Hydropsychidae). – V Congr.argentino de entomología (Buenos Aires):222.

Skei,Jon Kristian, Bakke,Hjordis 2002
Funn av nye varfluearter for Nord Trondelag. – Insekt-Nytt 27:45-48.

StClair, Rosalind M. 2002
Western Australian Triplectidinae (Trichoptera: Leptoceridae): Descriptions of the female of Triplectides niveipennis and larvae belonging to four genera. – Rec.Western Austral.Mus. 21:111-127.

Sun Changhai, Malicky,Hans 2002
22 new species of Philopotamidae (Trichoptera) from China. – Linzer biol.Beitr. 34:521-540.

Tsuruishi,Tatsu, Yoshida,Toshio 2002
Microhabitat and environmental conditions for Himalopsyche japonica (Morton) (Trichoptera: Rhyacophilidae) in mountain streams in Central Japan. – Jpn.J.Environ.Entomol.Zool. 13:193-202. [Japanese]

Uherkovich,Ákos, Nógrádi,Sára 2002
Trichoptera from the Balkans and Asia Minor in Hungarian and a Dutch collection. – Janus Pannonius Múz.Évkönyve 44-45:33-42.

Uherkovich,Á., Nógrádi,S. 2002
On the caddisflies (Trichoptera) of the Fertő-Hanság National Park, NW Hungary. – The fauna of the Fertő-Hanság National Park (Budapest), pp. 631-638.

Urbanič,Gorazd, Krušnik,Ciril 2002
The female of Chaetopteryx irenae Krušnik & Malicky 1986. – Acta entomol.slovenica 10:21-24.

Urbanič,Gorazd, Waringer,Johann 2002
The larva of Beraea dira McLachlan, 1875 (Trichoptera, Beraeidae). – Aquat.Insects 24:213-217.

Urbanič,Gorazd 2002
The impact of the light tube and the distance of the light trap from a stream on a caddisfly (Insecta: Trichoptera) catch. – Natura Sloveniae 4:13-20.

Urbanič,Gorazd, Krušnik,Ciril 2002
Mladoletnice (Trichoptera) jezera in pritokov. – In: Jezero, ki izginja (Ljubljana), pp. 181-185. [Caddisflies of Lake Cerknica and its tributaries]

Usseglio-Polatera,Philippe, Beisel,Jean-Nicolas 2002
Longitudinal changes in macroinvertebrate assemblages in the Meuse River: anthropogenic effects versus natural change. – River Res.Applic. 18:197-211.

Vieira-Lanero,Rufino, González,Marcos A., Cobo,Fernando 2002
Descripción de las larvas de cuatro endemismos ibéricos del género Beraea (Trichoptera, Beraeidae). – Nouv.Revue Ent.(N.S.) 19:11-37.

Virbickas,Juozas, Pliūraitė,Virginija 2002
The species composition of macrozoobenthos in small Lithuanian rivers. – Acta zool.Lituanica 12:254-264.

Vuori,Kari-Matti, Kukkonen,Hussi V.K. 2002
Hydropsychid (Trichoptera, Hydropsychidae) gill abnormalities as morphological biomarkers of stream pollution. - Freshw.Biol. 47:1297-1306.

Wagner,R. 2002
The influence of temperature and food on size and weight of adult Chaetopteryx villosa (Fabricius) (Insecta: Trichoptera) along a stream gradient. - Arch.Hydrobiol. 154:393-411.

Ward, J.B. 2002?
Additions and amendments to New Zealand caddis species in the „Atlas of Trichoptera..." – Rec.Canterbury Mus. 15:32-59.

Weaver,John S.,III 2002
A synonymy of the caddisfly genus Lepidostoma Rambur (Trichoptera: Lepidostomatidae), including a species checklist. – Tijd.Entomol. 145:173-192.

Weitschat,Wolfgang, Wichard,Wilfried 2002
Atlas of plants and animals in Baltic Amber. – Verlag Dr.Friedrich Pfeil, München. 256 pp.

Wells, Alice 2002
Three new species of Orphninotrichia Mosely (Trichoptera: Hydroptilidae) from Barrington Tops, New South Wales, a distribution extended, and remarks on generic placement. – Austral.J.Entomol. 41:221-225.

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Wells,Alice, Mey,Wolfram 2002
Microcaddisflies of the Philippines (Trichoptera, Hydroptilidae). – Mitt.Mus.Nat.kd.Berlin, Dtsch.entomol.Z. 49:113-136.

Wiberg-Larsen,Peter, Czachorowski,Stanisław 2002
Oxyethira tristella Klapálek, 1895 (Trichoptera: Hydroptilidae) a caddis-fly species new to the fauna of Poland. – Pols.Pismo Ent. 71:151-153.

Wichard,W., Arens,W., Eisenbeis,G. 2002
Biological atlas of aquatic insects. – Apollo Books, Stenstrup, 339 pp.

Wiggins, Glenn B. 2002
Biogeography of amphipolar caddisflies on the subfamily Dicosmoecinae (Trichoptera, Limnephilidae). – Mitt.Mus.Naturkunde Berlin, Dtsch.entomol.Z. 49:227-259.

Yang,Lianfang, Weaver,John S.III 2002
The Chinese Lepidostomatidae (Trichoptera). – Tijd.Entomol. 145:267-352.

Yang, We-fang, Yang,Lian-fang 2002
A study on biology of Lepidostoma flavum Ulmer and Phryganopsyche latipennis Banks (Trichoptera, Integripalpia). – Nanjing Nongye Daxue Xuebao 25:61-65.

Zamora-Muñoz,C., González,M.A., Picazo-Muñoz,J., Alba-Tercedor,J. 2002
Hydropsyche fontinalis, a new species of the instabilis-group from the Iberian Peninsula (Trichoptera, Hydropsychidae). – Aquat.Insects 24:189-197.

Ziemann, Horst 2002
Veränderungen der Besiedlungsstrukturen in einem Flußabschnitt der Gera nach der Abwasserlastsenkung durch den Neubau der Verbandskläranlage Arnstadt. – Abh.Ber.Mus.Nat.Gotha 22:81-88.

**2003**

Allaya, Wafa 2003
Description de cinq larves de Trichoptères du genre Hydropsyche récoltées en Tunisie. – Braueria 30:21-22.

Allaya,Wafa, Malicky,Hans, Boumaïza,Moncef 2003
Description de la larve et considérations sur l'écologie et la répartition de Thremma sardoum africanum (Trichoptera: Uenoidae). – Braueria 30:19-20.

Arefina,Tatyana I., Armitage,Brian 2003
New findings of micro-caddisflies (Trichoptera: Hydroptilidae) from the Russian Far East. – Braueria 30:15-18.

Armitage,Brian J., Arefina,Tatyana I. 2003
The genus Rhyacophila Pictet (Trichoptera: Rhyacophilidae) in Vietnam. – Aquatic Insects 25:95-124.

Cianficconi,Fernanda, Salerno,Piero 2003
The larva of Limnephilus hirsutus (Pictet, 1834). – Braueria 30:26-27

Cianficconi,Fernanda, Salerno,Piero 2003
Polycentropus pirisinui Malicky, 1981 – updated distribution in Italy and description of the female. – Braueria 30:28-29.

Cibaitė, Giedrė 2003
Checklist of Lithuanian caddisflies (Insecta, Trichoptera). – Braueria 30:7-14.

Corallini,Carla, Gaino,Elda 2003
The caddisfly Ceraclea fulva and the freshwater sponge Ephydatia fluviatilis: a successful relationship. – Tissue & Cell 35:1-7.

Czachorowski, Stanisław, Pietrzak, Lech 2003
Klucz do oznaczania rodzin chruścików (Trichoptera) występujących w Polsce. Larwy. – Olsztyn, 32 pp. [Family-key to the caddis larvae from Poland]

Kiss, Ottó 2003
Additional data to the occurrence and description of Rhyacophila hingstoni Martynov, 1930 (Trichoptera, Rhyacophilidae). – In: Kiss,Ottó (ed.): Trichoptera from Nepal (Eger):14-19.

Kiss, Ottó 2003
Additional data to the description of Rhyacophila stenostyla Martynov, 1930 (Trichoptera). – In: Kiss,Ottó (ed.): Trichoptera from Nepal (Eger):20-27.

Kiss, Ottó 2003
Three new species of Rhyacophila (Trichoptera, Rhyacophilidae) from Nepal. – In: Kiss,Ottó (ed.): Trichoptera from Nepal (Eger):28-39.

Kiss, Ottó 2003
A new species of Rhyacophila (Trichoptera, Rhyacophilidae) from Nepal. – In: Kiss,Ottó (ed.): Trichoptera from Nepal (Eger):40-43.

Kiss,Ottó, Malicky,Hans 2003
Data to the distribution of Trichoptera Nepal. – In: Kiss,Ottó (ed.): Trichoptera from Nepal (Eger):44-66.

Klaithong, Nisarat 2003
The variation of male genitalia in Stenopsyche siamensis Martynov, 1931 (Trichoptera, Stenopsychidae) in Phromlaeng stream, Nam Nao National Park, Thailand. – Braueria 30:41-42.

Kuranishi, Ryoichi B. 2003
Bibliography of Mineo Kobayashi, with a list of Trichoptera species described by him. – Braueria 30:35-36.

Laudee,Pongsak, Chantaramongkol,Porntip 2003
Life history of Stenopsyche siamensis Martynov 1931 (Trichoptera: Stenopsychidae) from Doi Chiang Dao catchment area, Chiang Mai Province, Thailand. – Braueria 30:23-25.

Malicky, Hans 2003
Bemerkungen über griechische Glossosoma –Arten (Trichoptera, Glossosomatidae). – Braueria 30:39-40.

© Hans Malicky/Austria; download unter www.biologiezentrum.at



Mey, W. 2003
Agraylea taymyrensis n.sp. – eine neue arktische Köcherfliege aus Sibirien (Trichoptera, Hydroptilidae). – Ent.Nachr.Ber. 47:39-40.

Mey, Wolfram 2003
Insular radiation of the genus Hydropsyche (Insecta, Trichoptera: Hydropsychidae) Pictet, 1834 in the Philippines and ist implications for the biogeography of Southeast Asia. – J.Biogeography 30:227-236.

Morse,John C., Yang Lianfang 2003
„Glossosoma bifidum McLachlan" nomen nudum is G.beaumonti Schmid 1947. – Braueria 30:30.

Pietrzak,Lech, Czachorowski,Stanisław 2003
Polymorphism in head coloration of Mystacides azurea (Linnaeus, 1761) larvae. – Braueria 30:4.

Schmera, Dénes 2003
Assessing stream dwelling caddisfly assemblages (Insecta: Trichoptera) collected by light traps in Hungary. – Biodiversity & Conservation 12:1175-1191.

Sipahiler, Füsun 2003
The Trichoptera fauna of the Lakes District in southern Turkey, with the description of a new species (Hydroptilidae). – Braueria 30:31-34.

Sipahiler, Füsun 2003
A new species of the occulta-group of the genus Hydroptila Dalman, 1819 from Turkey (Trichoptera, Hydroptilidae). – Aquatic Insects 25:19-22.

Tachet,Henri, Morse,John C. 2003
Considerations about Thremma fontium (Vallot, 1836) (Trichoptera: Uenoidae). – Braueria 30:37-38

Tsuruishi,Tatsu, Yoshida,Toshio 2003
Influence of water flow and water temperature on the respiratory rate of larval Himalopsyche japonica (Morton) (Trichoptera: Rhyacophilidae). – Japanese J.Ecol. 53:23-27. [Japanese]

Tsuruishi, Tatsu 2003
Life cycle of a giant carnivorous caddisfly, Himalopsyche japonica (Morton) (Trichoptera: Rhyacophilidae), in the mountain streams of Nagano, Central Japan. – Limnology 4:11-18.

Tsuruishi,Tatsu, Yoshida,Toshio 2003
Positions of larvae and pupae attached to stone surfaces and larval-gut contents of Himalopsyche japonica (Morton) (Trichoptera: Rhyacophilidae) in mountain streams of Nagano. – Jpn.J.Environ.Entomol.Zool. 14:113-118. [Japanese]

Urbanič,Gorazd, Waringer,Johann, Graf,Wolfram 2003
The larva of Ecclisopteryx asterix Malicky, 1979 (Trichoptera: Limnephilidae: Drusinae). – Lauterbornia 46:125-134.

Urbanič,Gorazd, Waringer,Johann, Graf,Wolfram 2003
The larva and distribution of Psychomyia klapaleki Malicky, 1995 (Trichoptera: Psychomyiidae). – Lauterbornia 46:135-140.

Waringer, Johann A. 2003
Light-trapping of caddisflies at the Thaya (Lower Austria), a river influenced by pulsating hypolimnetic water release. – Internat.Rev.Hydrobiol. 88:139-153.

John S. Weaver, III 2003
Robert L. Blickle. – Braueria 30:5-6.

**Photographs from the 11th Trichoptera Symposium:**

**Geraci, Kumanski, Vshivkova**

**Solem, Satake, Sipahiler**